




PIATTAFORMA AUTOSOLLEVANTE MONOCOLONNA EP 4130/13
SINGLE MAST CLIMBING WORK PLATFORM EP 4130/13



PIATTAFORMA AUTOSOLLEVANTE BICOLONNA EP 4130/34
TWIN MAST CLIMBING WORK PLATFORM EP 4130/34



PIATTAFORMA AUTOSOLLEVANTE MONOCOLONNA EP 4130/13 SINGLE MAST CLIMBING WORK PLATFORM EP 4130/13




PIATTAFORMA AUTOSOLLEVANTE BICOLONNA EP 4130/34 TWIN MAST CLIMBING WORK PLATFORM EP 4130/34



Dati tecnici	Technical Data	Données Techniques	Datos Tecnicos	EP4130/13	EP4130/34
Massima capacità di carico	Max. capacity	Max charge	Max capacidad de carga	1600 kg	3700 kg
Velocità di sollevamento	Lifting speed	Vitesse de lévage	Velocidad de elevación	10,6 m/min	10,6 m/min
Max lunghezza piattaforma	Max platform length	Max longueur plate-forme	Longitud max plataforma	13,19 m	33,90 m
Larghezza piattaforma	Platform width	Largeur plate-forme	Ancho plataforma	1 m	1 m
Lunghezza Standard estensioni telesc.	Standard telesc. extension	Long. standard des extensions	Longitud standard extensiones	1 m	1 m
Max. Lunghezza estensioni telesc.	Max extension length	Max longueur extensions	Longitud max extensiones	2,5 m* max	2,5 m* max
Massima altezza ancorata	Max anchored height	Hauter max avec ancrages	Altura max con anclajes	220 m	220 m
Massima altezza libera	Max freestanding height	Hauteur max sans ancrages	Altura max autoestable	6 m	6 m
Intervallo ancoraggi	Max tie distance	Intervalle ancrages	Distancia entre anclajes	9 m	9 m
Tensione alimentazione	Input power range	Tension d'alimentation	Tensión de red	380/415 V 50/60 Hz	380/415 V 50/60 Hz
Potenza servizio continuo	Power of the motors	Puissance des moteurs	Potencia de motorreductores	2 x 2,2 kW	4 x 2,2 kW
Minima potenza di linea consigliata	Minimum line power suggested	Min. puissance de ligne conseillée	Min. potencia de linea	6 kW	12 kW
Dispositivo paracadute	Parachute safety device	Dispositif de sécurité parachute	Dispositivo de seguridad paracaídas	✓	✓
Ingrassatore automatico cremagliera	Rack automatic greasing pump	Graisseur automatique de cremallere	Engrassador automatico de cremallera	✓	✓









* Contattare Electroelsa

* Contact Electroelsa



CARICHI MASSIMI EP 4130/13
MAX LOADS EP 4130/13

 = 240 kg
 = 400 kg



CARICHI MASSIMI EP 4130/34
MAX LOADS EP 4130/34